268/

APR 0 9 2001 FRANSMITTAL LETTER
General - Patent Pending)

Docket No. 144/01890

In Re Application Of Ben TE-ENI, et al.

35

Serial No.	Filing Date	Examiner	Group Art Unit
09/673,761	October 18, 2000	Not yet assigned	2681

itle: METHOD AND SYSTEM FOR PROVIDING CELLULAR COMMUNICATIONS SERVICES

TO THE COMMISSIONER OF PATENTS AND TRADEMARKS:

Transmitted herewith is:

- 1. Corrected IPER from the International Application, No. PCT/IL99/00214, including annexes
- 2. Accompanying letter

RECEIVED

APR 1 0 2001

Technology Center 2600

in the above identified application.

- No additional fee is required.
- ☐ A check in the amount of

is attached.

The Commissioner is hereby authorized to charge and credit Deposit Account No. as described below. A duplicate copy of this sheet is enclosed.

03-3419

☐ Charge the amount of

- Charge any additional fee required.

Paul Fenster

Dated: April 3, 2001

Paul FENSTER, Reg. No. 33,877

William H. Dippert, Esq. c/o Cowan, Liebowitz & Latman, p.c. 1133 Avenue of the Americas New York, NY 10036-6799

Tel: (212) 790-9200

I certify that this document and fee is being deposited on **April 4, 2001** with the U.S. Postal Service as first class mail under 37 C.F.R. 1.8 and is addressed to the Commissioner of Patents and Trademarks, Washington, D.C. 20231.

Signature of Person Mailing Correspondence

William H. Dippert

Typed or Printed Name of Person Mailing Correspondence

CC:

eu of I tinieu trame of I erson muning Corresponde

M

144/01890

APR 0 9 2001

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:

Ben TE-ENI, et al.

Serial Number:

09/673,761

Filed:

October 18, 2000

For:

METHOD AND SYSTEM FOR PROVIDING CELLULAR

COMMUNICATIONS SERVICES

Art Unit:

2681

Examiner:

Not yet assigned

RECEIVED

APR 1 0 2001

Technology Center 2600

Honorable Commissioner of Patents and Trademarks Washington DC 20231

SUBMISSION OF CORRECTED IPER

Sir:

Further to the receipt of a corrected IPER in the International Application corresponding to the present application, applicants hereby submit the corrected IPER.

Applicants note that the claims in the application generally correspond to the IPER claims that were indicated as being allowable over the prior art, in the International Stage (USPTO).

Applicants submit that the claims define patentable subject matter and that the application is ready for allowance. Notice to that effect is respectfully solicited.

Respectfully submitted, B. TE-ENI, et al.

Paul Fenster Reg. No. 33,877

April 3, 2001 William H. Dippert, Esq. c/o Cowan, Liebowitz & Latman, p.c. 1133 Avenue of the Americas New York, NY 10036-6799

Tel: (212) 790-9200

PATENT COOPERATION TREATY

From the INTERNATIONAL PRELIMINARY EXAMINING AUTHORITY

To: GIL ISRAELI 38 HAGFEFEN ST KARME-YCSEP 99797 ISRAFL

NOTIFICATION OF TRANSMITTAL OF INTERNATIONAL PRELIMINARY **EXAMINATION REPORT**

(PCT Rule 71.1)

Date of Mailing (day/month/year)

12 FEB 2001

Applicant's or agent's file reference IMPORTANT NOTIFICATION NONE International application No. International filing date (day/month/year) Priority Date (day/montb/year) 22 APRIL 1999 22 APRIL 1998 PCT/IL99/00214

Applicant

NETLINE COMMUNICATIONS TECHNOLOGIES (NCT) LTD.

- The applicant is hereby notified that this International Preliminary Examining Authority transmits herewith the 1. international preliminary examination report and its annexes, if any, established on the international application.
- A copy of the report and its annexes, if any, is being transmitted to the International Bureau for communication to all the elected Offices.
- Where required by any of the elected Offices, the International Bureau will prepare an English translation of the report (but not of any annexes) and will transmit such translation to those Offices.

REMINDER

The applicant must enter the national phase before each elected Office by performing certain acts (filing translations and paying national fees) within 30 months from the priority date (or later in some Offices)(Article 39(1))(see also the reminder sent by the International Bureau with Form PCT/IB/301).

Where a ranslation of the international application must be furnished to an elected Office, that translation must contain a translation of any annexes to the international preliminary examination report. It is the applicant's responsibility to prepare and furnish such translation directly to each elected Office concerned.

For further details on the applicable time limits and requirements of the elected Offices, see Volume II of the PCT Applicant's Guide.

Name and mailing address of the IPEA/US Commissioner of Patents and Trademarks

Washing on, D.C. 20231

Pacsimile No. (703) 305-3230 Authorized officer

Telephone No.

genis zogan CHARLES R

PATENT COOPERATION TREATY

PCT

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

		cation of Transmittal of International Examination Report (Form PCT/IPEA/416)			
International application No.	International filing date (day)	mostb/year)	Priority date (day/month/year)		
PCT/IL99/00214	22 APRIL 1999		22 APRIL 1998		
International Patent Classification (IPC) or national classification and IPC IPC(7): H04Q 7'20; H04B 1/38; H04M 1/00 and US Cl.: 455/456, 422, 461, 433, 560, 414					
Applicant NETLINE COMMUNICATIONS TECHNOLOGIES (NCT) LTD.					
1. This international preliminary examination report has been prepared by this International Preliminary Examinit g Authority and is transmitted to the applicant according to Article 36.					
2. This REFORT consists of a	1				
This report is also accompanied by ANNEXES, i.e., sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority. (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT).					
These annexes consist of a to	otal of sheets.				
3. This report contains indications relating to the following items:					
I X Basis of the report					
II Priority					
III Non-establishme	III Non-establishment of report with regard to novelty, inventive step or industrial applicability				
IV Lack of unity of invention					
V X Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement					
VI Certain documents cited					
VII Certain defects in the international application					
VIII X Certain observations on the international application					
Date of submission of the demand Date of completion of this report					
Date of submission of the demand	Date of submission of the demand Date of completion of this report				
09 NOVEMBER 1999		17 NOVEMB	ER 2000		
Name and mailing address of the IPEA	•	uthorized office			
Commissioner of Patents and Trade Box PCT Washington, D.C. 20231	marka	CHARLES & CRAYER MAN 300 306 3965			
Facsimile No. (703) 305-3230	τ	elephone No.	(703) 396-3965		

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

Inter			

PCT/IL99/00214

Basis of the re	port		· · · · · · · · · · · · · · · · · · ·
With regard to the	elements of the interne	ational application:	
	ional application as		
Lad Ed the deserte			
pages			, as originally filed
pages	NONE		, filed with the demand
pages	NICATE	, filed with the letter	
- 7			
X the claims:	·	•	, as originally file
pages		as amended (togeth	her with any statement) under Article 1
pages		,	filed with the demand
pages	22-26	, filed with the letter of	, filed with the demand
	1 6		, as originally filed
pages	\(\frac{1}{2}\)		, filed with the demand
pages			of
Lages		3 71-444	
x the sequence	e listing part of the	description:	
pages	NONE		, as originally filed
pages 1	NONE		filed with the demand
pages	NONE	, filed with the letter	of
	-	the international application (under	
or 55.3).	of the translation fu	mished for the purposes of international	preliminary examination (under Rules 55.2
		or amino acid sequence disclosed in t ed out on the basis of the sequence lis	the international application, the internation sting:
contained i	in the international	application in printed form.	
		ational application in computer reada	able form.
		s Authority in written form.	
		Authority in computer readable for	m.
The statem internation	ent that the subsequal application as file	ently furnished written sequence listing d has been furnished.	g does not go beyond the disclosure in th
•	ent that the information		is identical to the writen sequence listing ha
X The ame 2	dments have results	ed in the cancellation of:	
_ 🗇			
	description pages	NONE	
	description, pages_ claims, Nos.	NONE	
X the	claims, Nos.	NONE	
X the X This report	claims, Nos. drawings, sheets /fi has been drawn as if	NONE NONE f (some of) the amendments had not been	n made, since they have been considered to g
X the X the beyond the	claims, Nos	NONE NONE f (some of) the amendments had not been as indicated in the Supplemental Box (Ruspished to the receiving Office in response	

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No. PCT/IL99/00214

V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement			
statement			
Novelty (N)	Claims	1-35	YES
	Claims	NONE	NO
Inventive Step (IS)	Claims	1-35	YES
• • •	Claims	NONE	
t to add Andinhilin (IA)	Claims	1-35	YES
industrial Applicability (IA)	Claims	NONE	NO
	statement Novelty (N)	statement Novelty (N) Claims Claims Inventive Step (IS) Industrial Applicability (IA) Claims	statement Novelty (N) Claims 1-35 Claims NONE Inventive Step (IS) Claims 1-35 Claims 1-35 Claims NONE Industrial Applicability (IA) Claims 1-35

2. citations and explanations (Rule 70.7)

Claims 1-35 ment the criteria set out in PCT Article 33(2)-(4) for the following reasons:

Regarding claim 1, the prior art does not teach or fairly suggest at least one front end device seperate from a base station, but installed within or nearby, configured to monitor messages to and from said base station, and also comprising position determining means and a mangement system containing subscriber profiles to control services based on said locations.

Regarding claim 17, the prior art does not teach or fairly suggest a position determining apparatus for a cellular system transmitting a seperate radio signal having the characteristics of a base station signal, and wherein mobile stations which communicate with said base station report information related to the strength and frequency of the received signals.

Regarding claims 25 and 27, the prior art does not teach or fairly suggest that said radio signal information may be adjacent cell information received from mobile stations, or that said management system may receive signals from other switching center software.

Claims 2-16, 18-24, 26 and 28-35 meet the criteria set out in PCT Article 33(2)-(4) based upon their dependence upon claims 1, 17, 25 and 27.

US 5,568,153 A (BELIVEAU) 22 October 1996
US 5,613,209 A (PETERSON et al) 18 March 1997
US 5,243,530 A (STANIFER et al) 07 September 1993
US 5,235,633 A (DENNISON et al) 10 August 1993
US 5,561,836 A (SOWLES et al) 01 October 1996

INTERNAT ONAL PRELIMINARY EXAMINATION REPORT

International application No.
PCT/IL99/00214

VIII. Certain observations on the international application

The following observations on the claims of the claims, description, and drawings or on the question whether the claims are fully supported by the description, are made:

Claims 8 and 20 are objected to under PCT Rule 66.2(a)(v) as lacking clarity under PCT Article 6 because the claims are indefinite for the following reason(s):

Claim 8 recites the limitation "interconnected with a mobile switching". Claim 20 recites the limitation "the cellular system switching software". There is insufficient antecedent basis for said limitations.

Form PCT/IPEA/409 (Box VIII) (July 1998) +

144/01641 .401

5

10

30

CLAIMS

1. Apparatus for controlling mobile communication services in a cellular system in which mobile stations communicate to a network via cellular system base stations, comprising:

at least one front end device separate from a base station and installed within or nearby a predefined area, said front end device being configured to monitor exchange of messages between mobile stations and cellular system base stations;

position determining apparatus that determines the position of mobile stations responsive at least to the monitored exchanges; and

- a management system containing database of subscriber profiles and configured to control enabled services to subscribers depending upon locations of subscribers with respect to said predefined area.
- 2. Apparatus according to claim 1 wherein the predetermined area is an area closed by walls which at least partially absorb radio waves utilized for exchange of said messages.
 - 3. Applicatus according to claim 1 wherein the st least one front end device has a range smaller than the range of the bases stations for receiving messages from the mobile stations.
- 4. Apparatus according to claim 1 wherein the position determining apparatus determines the position to a resolution better than that possible based on monitoring of the messages at the base stations.
- 5. Apparatus according to claim 1, wherein the management system is interconnected with a mobile switching center and wherein control of enabled services includes selective screening of calls.
 - 6. Appuratus according to claim 1, wherein the management system is interconnected with a mobile switching center and wherein control of enabled services includes blocking of calls to at least some of the mobile stations located within the area.

144/01641 A 01

15

20

- 7. Apparatus according to claim 6, wherein the management system is interconnected with a mobile switching center and wherein control of enabled services includes blocking of calls from at least some of the mobile stations located within the area.
- 5 8. Apparatus according to claim 1, wherein the management system is interconnected with a mobile switching and wherein communication services depending on location include available connection bandwidth.
- 9. Apparatus according to claim 1, wherein said at least one front end device employs geographical intersection techniques to determine location of a received mobile station originated message and transfers said location information to said management system.
 - 10. Apparatus according to claim 1, and including an input via which said database profile entries can be dynamically updated.
 - 11. Apparatus according to claim 1 wherein the front-end device incorporates a local interface to an external system via which subscriber identity information is reported.
 - 12. Apparatus according to claim 11, wherein the external system is a time logging system.
 - 13. Apparatus according to claim 11 wherein the external system is a security granting device.
- 14. Apparatus according to claim I wherein the front end device is implemented in a personal computer.
 - 15. Apparatus according to claim 1 wherein the front-end device is configured to locally communicate SMS type messages with locally registered mobile stations.
- 30 16. Apparatus according to claim 1 wherein the front-end device is configured to locally communicate high band-width content within the predefined area.

144/01641 A01

5

. 10



17. Apparatus for determining the position of mobile stations in a cellular system in which mobile stations communicate to a network via cellular system base stations, comprising:

a radio transmitter separate from said base stations that transmits a separate radio signal having characteristics of a base station, wherein said mobile stations receive said signals and reports information related to the strength and frequency of signals having base station characteristics, including said separate signal;

a management system having a database of radio signal characteristics and locations; position determining apparatus that determines the position of mobile stations responsive the reported information and the database.

- 18. Apparatus according to claim 17 wherein the separate radio signal has the characteristics of a base stution control channel.
- 19. Apparatus according to claim 17 wherein the management system receives the radio signal information from cellular system switching center software.
 - 20. Apparatus according to claim 17 wherein the management system is implemented within the cellular system switching center software.
- 20 21. Apparatus according to claim 17 wherein the separate radio signal has a power substantially lower than the power of a radio signal transmitted by a base station, such that reception of the separate signal by a mobile station is more limited in extent than that of a similar signal broadcast by a base station.
- 25. Apparatus according to claim 17 wherein the separate radio signal is broadcast within a predetermined area closed by walls which at least partially absorb radio waves utilized for exchange of said messages and wherein the position determining apparatus determines whether the mobile unit is within or without the predetermined area.
- 30 23. Apparatus according to claim 17, wherein said separate radio signals are transmitted in frequencies different than cellular network operating frequencies.

144/01641 7101

5

-10

15

20

25

30

- 24. Apparatus according to claim 23 and including a corresponding receiver for said separate radio signals attached to the mobile stations.
- 25. Apparatus for determining the position of mobile stations in a cellular system in which mobile stations communicate to a network via cellular system base stations, comprising:
- a radio transmitter transmitting a representative radio signal, having characteristics representing a predefined area where said signal is received;
- a management system interconnected with cellular switching center, said management system having a database of representative radio signal characteristics and locations, said management system receives information of representative radio information received by mobile stations and compares them with said database, thereby extracting a list of mobile stations location within said predefined area,

wherein said radio signals information received by said management system is adjacent cell information received from mobile stations.

- 26. Appriratus according to claim 25, wherein said management system is implemented within the cellular system switching center software.
- 27. Apparatus for determining the position of mobile stations in a cellular system in which mobile stations communicate to a network via cellular system base stations, comprising:
- a ratio transmitter transmitting a representative radio signal, having characteristics representing a predefined area where said signal is received;
- a minagement system interconnected with cellular switching center, said management system having a database of representative radio signal characteristics and locations, said management system receives information of representative radio information received by mobile stations and compares them with said database, thereby extracting a list of mobile stations location within said predefined area,

wherein said management system receives said radio signal information from cellular system switching center software.

28. Apparatus according to claim 27, wherein said management system is implemented within the cellular system switching center software.

.10

25



- Apperatus according to any of claims 17-28, wherein said radio signals are implemented according to Shared Wireless Access Protocol (wireless Access) and a corresponding receiver is attached to the mobile stations.
- 5 30. Apparatus for controlling mobile communication services in a cellular system in which mobile stations communicate to a network via cellular system base stations, comprising:

position determining apparatus according to any of claims 17-28; and

- a management system containing database of subscriber profiles and configured to control enabled services to subscribers depending upon locations of subscribers.
- Apparatus according to claim 30, wherein the management system is interconnected 31. with a mobile switching center and wherein control of enabled services includes selective screening of calls.
- 15 Apparatus according to claim 30, wherein the management system is interconnected with a mobile switching center and wherein control of enabled services includes blocking of calls to at least some of the mobile stations located within a predetermined area.
- 33. Apperatus according to claim 32, wherein the management system is interconnected with a mobile switching center and wherein control of enabled services includes blocking of 20 calls from at least some of the mobile stations located within a predetermined area.
 - 34. Apparatus according to claim 30, wherein the management system is interconnected with a mobile switching, and wherein communication services depending on location include available connection bandwidth.
 - 35. Apparatus according to claim 30, and including an input via which said database profile entries can be dynamically updated.